


Details shown below are graphical representations only. For accurately scaled and dimensioned details, please visit [www.CrystaliteInc.com](http://www.CrystaliteInc.com).




### Glass Panel

Aluminum Railing System

DECK MOUNT

Crystalite railings are structurally designed and stamped by an independent structural engineer. Crystalite will select the appropriate post size and spacing to meet code requirements for Exposures B, C, and D with wind speeds up to 120 mph.


Details shown below are graphical representations only. For accurately scaled and dimensioned details, please visit [www.CrystaliteInc.com](http://www.CrystaliteInc.com).



**Glass Panel**  
 Aluminum Railing System  
 DM - ALT. INSTALL DETAILS

Crystalite railings are structurally designed and stamped by an independent structural engineer. Crystalite will select the appropriate post size and spacing to meet code requirements for Exposures B, C, and D with wind speeds up to 120 mph.

Details shown below are graphical representations only. For accurately scaled and dimensioned details, please visit [www.CrystaliteInc.com](http://www.CrystaliteInc.com).



**Refer to the Railing Packet for top rail and post size compatibility.**



**Glass Panel**


Aluminum Railing System

SIDE MOUNT

Crystalite railings are structurally designed and stamped by an independent structural engineer. Crystalite will select the appropriate post size and spacing to meet code requirements for Exposures B, C, and D with wind speeds up to 120 mph.

Details shown below are graphical representations only. For accurately scaled and dimensioned details, please visit [www.CrystaliteInc.com](http://www.CrystaliteInc.com).

Refer to the Railing Packet for top rail and post size compatibility.



**Glass Panel**  
Aluminum Railing System


SM - ALT. INSTALL DETAILS

Crystalite railings are structurally designed and stamped by an independent structural engineer. Crystalite will select the appropriate post size and spacing to meet code requirements for Exposures B, C, and D with wind speeds up to 120 mph.

Details shown below are graphical representations only. For accurately scaled and dimensioned details, please visit [www.CrystaliteInc.com](http://www.CrystaliteInc.com).

Refer to the Railing Packet for top rail and post size compatibility.

### DOUBLE TOP RAIL ASSEMBLY



### Glass Panel

Aluminum Railing System

DOUBLE TOP RAIL

Crystalite railings are structurally designed and stamped by an independent structural engineer. Crystalite will select the appropriate post size and spacing to meet code requirements for Exposures B, C, and D with wind speeds up to 120 mph.